



Fiche Technique SON

Contact : Quentin +33 6 83 23 91 76 / quentin.duhem@hotmail.fr

FACE

ANALOG :

1 x console 40/8/2 8 aux / 8 groups / 8 vca minimum MIDAS Heritage / XL
YAMAHA PM, SOUNDCRAFT Serie 5
1 x EQ 2 x 31 bandes
3 x Drawmer DS201 stéréo gate
4 x DBX 160A
2 x Drawmer DL241 stéréo compresseur
1 x TC M2000
1 x SPX 2000
1 x LEXICON PCM
1 x Delay TC D-TWO

DIGITAL :

YAMAHA CL / SOUNDCRAFT VI / MIDAS Pro / DIGIDESIGN

RETOUR

6 x wedges identiques et actifs sur 5 circuits
3 x EQ 2 x 31 bandes

INSTALLATIONS ET BALANCES

Installation 30 minutes minimum / Balances 1 heure minimum.

Pas de praticables pour la batterie, elle sera impérativement installée à même le sol.

Merci de prévoir un tapis ou moquette de 2m x 2m.

BISON BISOU

Input List - Bison Bisou

Questions ? > +33 6 83 23 91 76 / quentin.duhem@hotmail.fr


	INSTRUMENT	MIC/DI	48V	INSERT	STAND
1	KICK IN	B91	X	GATE	NO
2	KICK OUT	B52		GATE	SMALL
3	SNARE TOP	B57		COMP	SMALL
4	SNARE BOTTOM	e904		GATE	NO
5	H H	KSM 137	X		SMALL
6	FLOOR TOM L	e904		GATE	NO
7	FLOOR TOM R	e904		GATE	NO
8	OH L	KSM 137	X		TALL BOOM
9	OH R	KSM 137	X		TALL BOOM
10	BASS DI	DI	X	COMP	
11	BASS MIC	M 88		COMP	SMALL
12	QUIT L	SM 57		COMP	SMALL
13	QUIT L	MD 421		COMP	SMALL
14	QUIT R	SM 57		COMP	SMALL
15	QUIT R	MD 421		COMP	SMALL
16	LEAD VOC	SM 58		COMP	TALL STRAIGHT
17	SAMPLE	DI	X		NO

BISON BISOU

PLAN DE SCENE

BISON BISOU

Questions ? > +33 6 83 23 91 76 / quentin.duhem@hotmail.fr



Centre Scène